

PRODUCT NAME: AMETHYST DREAM
PRODUCT CODE: MSPX-09-H

HMIS CODES: H F R P
1*2 0 I

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURED BY : MATRIX SYSTEM Automotive Finishes, Inc.
ADDRESS : 850 Ladd Rd., Bldg. E
Walled Lake, MI 48390

EMERGENCY PHONE : (800)424-9300 DATE PRINTED : 12/28/2010
INFORMATION PHONE : (800)-735-0303 PREPARER NAME: MSDS Coordinator

===== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION =====

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE mm Hg @ TEMP	WEIGHT PERCENT
titanium dioxide OSHA TLV: 10 mg/m3 OSHA PEL: 15 mg/m3	13463-67-7	N/A	N/A
* aluminum oxide OSHA PEL: ALPHA ALUMINA 15 mg/m3 TOTAL DUST OSHA PEL: ALPHA ALUMINA 5 mg/m3 RESPIRABLE FRACTION ACGIH TLV: 10 mg/m3 INHALABLE TOTAL PARTICULATE MATTER CONTAINING NO ASBESTOS AND <1% CRYSTALLINE SILICA, A4	1344-28-1	N/A	N/A
heavy alkylate solvent naphtha ACGIH TLV: 100 ppm OSHA PEL: 100 ppm NJTSRN 13-2666399-5673P	64741-65-7	2.6	68 F
tin oxide OSHA PEL: 2 mg/m3 TWA ACGIH TLV: 2 mg/m3 TWA NIOSH REL: 2 mg/m3 TWA	18282-10-5	N/A	N/A
silica OSHA PEL: 80 mg/m3 TWA (20 mppcf) ACGIH TLV: 10 mg/m3 TWA INHALABLE PARTICULATE ACGIH TLV: 3 mg/m3 TWA RESPIRABLE PARTICULATE	7631-86-9	10	3150 F
zirconium oxide ACGIH: 5 mg/m3 TWA (LISTED UNDER Zirconium) ACGIH STEL: Zr: 10 mg/m3 (LISTED UNDER Zirconium) OSHA PEL: 5 mg/m3 TWA (LISTED UNDER Zirconium) NIOSH: 5 mg/m3 TWA (LISTED UNDER Zirconium) NIOSH: AS Zr: 50 mg/m3 IDHL (LISTED UNDER Zirconium)	1314-23-4	N/A	N/A

* Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.
N/A

===== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =====

BOILING RANGE: 4046 F	SPECIFIC GRAVITY (H2O=1): 3.8
VAPOR DENSITY: Heavier than air	EVAPORATION RATE: Slower than ether
V.O.C. grams/liter: 379.16	V.O.C. lbs./gal.: 3.16
SOLUBILITY IN WATER: Insoluble	SOLIDS BY VOLUME: 90.
APPEARANCE AND ODOR: Fine powder with no aroma.	

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

Preexisting eye, skin, and respiratory conditions.

EMERGENCY AND FIRST AID PROCEDURES

Inhalation- remove from contaminated atmosphere. In case of massive exposure, get medical attention. Eyes- promptly flush with water for 15 minutes. Get medical attention.

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Remove all sources of ignition (sparks, flames, and hot surfaces). Place in leak-proof drums

WASTE DISPOSAL METHOD

Dispose in accordance with state ,federal and local regulations. Do not incinerate closed containers.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Store away from high tempratures and open flames.

OTHER PRECAUTIONS

Do not take internally, avoid prolonged contact with skin.

===== SECTION VIII - CONTROL MEASURES =====

RESPIRATORY PROTECTION

Approved combination dust and vapor respirator.

VENTILATION

Provide general dillution or local ehxhaust ventilation.

PROTECTIVE GLOVES

Solvent resistant.

EYE PROTECTION

Safety glasses.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

Safety eyewash station.

WORK/HYGIENIC PRACTICES

Follow general industrial hygiene. Ingredients in this product are listed in the TSCA inventory.

===== SECTION IX - DISCLAIMER =====

The information contained in this material safety data sheet is information from our suppliers and other sources. It is believed to be reliable. This data is not to be taken as a warranty or representation for which this company assumes legal responsibility.