

M A T E R I A L S A F E T Y D A T A S H E E T

FX-11

Page 1 of 4

PRODUCT NAME: ORANGE
 PRODUCT CODE: FX-11

HMIS CODES: H F R P
 2 3 0 G

===== **SECTION I - MANUFACTURER IDENTIFICATION** =====

Manufacturer's Name: MATRIX SYSTEM Automotive Finishes, Inc.
Address: 850 Ladd Road, Bldg. E
 Walled Lake, MI 48390



Prepared on: March 10, 2003

Emergency Telephone: (800) 424-9300 [CHEMTREC]
Information Telephone: (800) 735-0303
D.O.T. Hazard Classification: Paint
 Flammable Liquid
 UN 1263

===== **SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION** =====

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE		WEIGHT
		mm Hg @ TEMP		PERCENT
* METHYL ETHYL KETONE	78-93-3	78	68 F	41%
OSHA VPEL: 200 ppm TWA				
OSHA VPEL: 300 ppm STEL				
ACGIH TLV: 200 ppm TWA				
ACGIH TLV: 300 ppm STEL				
1-METHOXY-2-PROPANOL	107-98-2	11.8	77 F	40-45%
ACGIH TLV: 100 ppm TWA				
ACGIH TLV: 150 ppm STEL				
SOLVENT ORANGE	Proprietary	N/E	N/E	15-20%

* Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

M A T E R I A L S A F E T Y D A T A S H E E T

FX-11

Page 3 of 4

===== SECTION VI - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

May cause nose and throat irritation. Individuals with breathing problems must not be exposed to this product. If affected by inhalation, remove to fresh air. If breathing difficulty persists, consult a physician.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

May cause irritation of the eyes. Repeated and prolonged skin contact may cause skin irritation. In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes; call a physician. In case of skin contact, wash with soap and water. If irritation occurs, contact a physician.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Gastrointestinal distress. In the unlikely event of ingestion, call a physician immediately and have the names of all ingredients available.

HEALTH HAZARDS (ACUTE AND CHRONIC)

ACUTE - Vapor may cause skin, eye, and/or respiratory irritation.
CHRONIC - NONE KNOWN.

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No

To the best of our knowledge this material contains no known carcinogens

OSHA REGULATED: Yes

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

Preexisting eye, skin, and respiratory conditions.

EMERGENCY AND FIRST AID PROCEDURES

Inhalation- remove from contaminated atmosphere. In case of massive exposure, get medical attention. Eyes- promptly flush with water for 15 minutes. Get medical attention.

M A T E R I A L S A F E T Y D A T A S H E E T

FX-11

Page 4 of 4

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Remove all sources of ignition (sparks, flames, and hot surfaces). Place in leak-proof drums

WASTE DISPOSAL METHOD

Dispose in accordance with state ,federal and local regulations. Do not incinerate closed containers.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Store away from high tempratures and open flames.

OTHER PRECAUTIONS

Do not take internally, avoid prolonged contact with skin.

===== SECTION VIII - CONTROL MEASURES =====

RESPIRATORY PROTECTION

Approved combination dust and vapor respirator.

VENTILATION

Provide general dillution or local ehxhaust ventilation.

PROTECTIVE GLOVES

Solvent resistant.

EYE PROTECTION

Safety glasses.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

Safety eyewash station.

WORK/HYGIENIC PRACTICES

Follow general industrial hygiene. Ingredients in this product are listed in the TSCA inventory.

===== SECTION IX - DISCLAIMER =====

The information contained in this material safety data sheet is information from our suppliers and other sources. It is believed to be reliable. This data is not to be taken as a warranty or representation for which this company assumes legal responsibility.