

AQUALUTION SCAQMD ENVIRONMENTAL REGULATORY INFORMATION

January 9, 2009

Matrix Product Code	Regulatory VOC (g/l)	Regulatory VOC (lbs/gal)	Actual VOC (g/l)	Actual VOC (lbs/gal)	Weight Percent Volatiles	Weight Percent Water	Weight Percent Exempt Solvents	Density (g/l)	Density (lbs/gal)
AT-01	409	3.4	163	1.4	75.19%	59.42%	0.00%	1034.6	8.63
AT-02	388	3.2	128	1.1	75.72%	63.75%	0.00%	1069.1	8.92
AT-03	390	3.3	128	1.1	75.72%	63.75%	0.00%	1070.8	8.94
AT-04	374	3.1	130	1.1	72.15%	60.28%	0.00%	1098.7	9.17
AT-05	374	3.1	130	1.1	72.15%	60.28%	0.00%	1098.9	9.17
AT-06	392	3.3	138	1.2	72.14%	59.60%	0.00%	1104.1	9.21
AT-07	349	2.9	118	1.0	70.54%	60.01%	0.00%	1121.9	9.36
AT-08	346	2.9	118	1.0	70.53%	60.00%	0.00%	1118.2	9.33
AT-09	388	3.2	128	1.1	75.72%	63.75%	0.00%	1069.1	8.92
AT-10	390	3.3	128	1.1	75.72%	63.75%	0.00%	1070.8	8.94
AT-11	387	3.2	119	1.0	77.25%	66.06%	0.00%	1063.8	8.88
AT-12	387	3.2	128	1.1	75.72%	63.75%	0.00%	1068.4	8.92
AT-13	329	2.7	127	1.1	62.47%	51.68%	0.00%	1177.9	9.83
AT-14	399	3.3	139	1.2	79.72%	66.11%	0.00%	1020.9	8.52
AT-15	360	3.0	131	1.1	76.52%	63.70%	0.00%	1021.2	8.52
AT-20	344	2.9	110	0.9	76.69%	66.28%	0.00%	1057.0	8.82
AT-21	397	3.3	155	1.3	74.54%	59.88%	0.00%	1054.8	8.80
AT-22	325	2.7	121	1.0	74.47%	62.71%	0.00%	1025.1	8.56
AT-23	326	2.7	127	1.1	71.49%	59.42%	0.00%	1050.6	8.77
AT-24	344	2.9	120	1.0	66.96%	56.85%	0.00%	1187.1	9.91
AT-25	329	2.7	121	1.0	73.00%	61.43%	0.00%	1047.6	8.74
AT-26	332	2.8	124	1.0	73.13%	61.64%	0.00%	1082.5	9.03
AT-27	352	2.9	131	1.1	74.64%	61.97%	0.00%	1034.3	8.63
AT-28	385	3.2	143	1.2	76.78%	62.76%	0.00%	1023.9	8.55
AT-29	348	2.9	125	1.0	75.92%	63.69%	0.00%	1024.6	8.55
AT-30	355	3.0	130	1.1	73.74%	61.46%	0.00%	1054.8	8.80
AT-31	408	3.4	160	1.3	75.72%	60.20%	0.00%	1031.8	8.61
AT-32	408	3.4	138	1.2	78.62%	65.24%	0.00%	1031.7	8.61

AQUALUTION SCAQMD ENVIRONMENTAL REGULATORY INFORMATION

January 9, 2009

Matrix Product Code	Regulatory VOC (g/l)	Regulatory VOC (lbs/gal)	Actual VOC (g/l)	Actual VOC (lbs/gal)	Weight Percent Volatiles	Weight Percent Water	Weight Percent Exempt Solvents	Density (g/l)	Density (lbs/gal)
AT-33	417	3.5	164	1.4	76.11%	60.18%	0.00%	1031.0	8.60
AT-34	408	3.4	162	1.3	75.40%	59.75%	0.00%	1033.1	8.62
AT-35	413	3.4	163	1.4	75.26%	59.52%	0.00%	1038.4	8.67
AT-36	384	3.2	142	1.2	77.23%	63.34%	0.00%	1020.6	8.52
AT-37	276	2.3	72	0.6	78.26%	71.26%	0.00%	1035.3	8.64
AT-42	284	2.4	94	0.8	74.25%	65.18%	0.00%	1037.8	8.66
AT-43	339	2.8	118	1.0	75.87%	64.45%	0.00%	1031.1	8.60
AT-44	313	2.6	115	1.0	73.31%	62.18%	0.00%	1035.5	8.64
AT-45	261	2.2	82	0.7	74.10%	66.10%	0.00%	1029.3	8.59
AT-46	331	2.8	119	1.0	74.06%	62.63%	0.00%	1040.9	8.69
AT-47	320	2.7	111	0.9	74.17%	63.55%	0.00%	1049.1	8.76
AT-48	296	2.5	82	0.7	78.41%	70.41%	0.00%	1022.1	8.53
AT-49	291	2.4	91	0.8	76.85%	67.85%	0.00%	1011.3	8.44
AT-50	278	2.3	82	0.7	76.08%	68.08%	0.00%	1029.3	8.59
AT-51	344	2.9	119	1.0	75.69%	64.26%	0.00%	1040.2	8.68
AT-52	366	3.1	136	1.1	73.50%	60.60%	0.00%	1058.8	8.84
AT-53	386	3.2	142	1.2	77.23%	63.31%	0.00%	1023.2	8.53
AT-59	351	2.9	76	0.6	80.09%	73.06%	0.00%	1079.9	9.01
AT-60	366	3.1	126	1.1	72.29%	60.81%	0.00%	1097.4	9.16
AT-61	346	2.9	118	1.0	70.06%	59.60%	0.00%	1126.1	9.40
AT-62	355	3.0	139	1.2	76.73%	51.55%	0.00%	1199.7	10.01
AT-63	374	3.1	132	1.1	70.65%	58.82%	0.00%	1117.9	9.33
AT-64	408	3.4	160	1.3	75.70%	60.19%	0.00%	1032.9	8.62
AT-65	347	2.9	128	1.1	73.49%	61.30%	0.00%	1052.4	8.78
AT-66	411	3.4	162	1.4	75.31%	59.68%	0.00%	1037.3	8.66
AT-67	411	3.4	138	1.1	78.58%	65.29%	0.00%	1036.5	8.65
AT-68	344	2.9	118	1.0	70.53%	60.01%	0.00%	1116.7	9.32
AT-69	345	2.9	118	1.0	70.58%	60.05%	0.00%	1116.7	9.32

Matrix Product Code	Regulatory VOC (g/l)	Regulatory VOC (lbs/gal)	Actual VOC (g/l)	Actual VOC (lbs/gal)	Weight Percent Volatiles	Weight Percent Water	Weight Percent Exempt Solvents	Density (g/l)	Density (lbs/gal)
AT-70	375	3.1	131	1.1	72.15%	60.28%	0.00%	1100.5	9.18
AT-71	358	3.0	119	1.0	71.35%	60.67%	0.00%	1117.1	9.32
AT-72	366	3.1	125	1.0	71.87%	60.53%	0.00%	1104.1	9.21
AT-73	345	2.9	121	1.0	74.62%	63.11%	0.00%	1049.0	8.75
AT-74	363	3.0	138	1.2	75.40%	61.89%	0.00%	1024.9	8.55
AT-75	317	2.6	118	1.0	72.75%	61.36%	0.00%	1040.5	8.68
AT-76	340	2.8	127	1.1	73.81%	61.62%	0.00%	1039.0	8.67
AT-77	317	2.6	117	1.0	73.32%	62.03%	0.00%	1036.1	8.65